








Macrolink VMEbus Product Accessories


<p><u>P/N 202060-00</u> 4 port RS-232D Line Module for MVC.</p>	
<p><u>P/N 221004-00</u> 4 port RS-422 Line Module for MVC.</p>	
<p><u>P/N 221007-00</u> 4 port RS-423 Line Module for MVC</p>	
<p><u>P/N 221010-00</u> 4 port MIL-STD-188C Line Module for MVC</p>	

P/N 221017-00

4 port RS-485 Line
Module for MVC

**P/N 221020-02**

128KB 22ns SRAM
Memory Kit for MVC

**P/N 221044-00**


4 port RS-422D Line
Module for MVCP. Other
MVCP EIA Line Modules
Available; see price list.


**P/N 221044-01**

4 port RS-422D Line
Module for MVCQuick.
Other MVCQuick EIA
Line Modules Available;
see price list.

**P/N 221030-04**


4MB 18ns SRAM
Memory Kit for MVCP
512KB & 1MB Memory
Kits Also Available; see
price list






P/N 221041-00

P2 Transition Module for MVCP & MVCQuick; Straight serial connectors. Note: Use unshielded ribbon cables for P2 adapter serial connections. Use of shielded cables not recommended.




P/N 221041-01

P2 Transition Module for MVCP & MVCQuick; Right-angle serial connectors. Note: Use unshielded ribbon cables for P2 adapter serial connections. Use of shielded cables not recommended.




P/N 222002-00


Single-ended active SCSI terminator for MVS/200




P/N 222003-00
Differential SCSI terminator for MVS/200




P/N 222004-00
Differential, SCSI receiver/driver module for MVS/200




P/N 222012-00
Single-ended, Fast/Wide SCSI port module for MVS/216; with termination

**P/N 222013-00**

Differential, Fast/Wide
SCSI port module for
MVS/216; with
termination

**P/N 222014-00**

P2 cable adapter
module; provides both
50 pin & 68 pin
connectors.



P/N 320126-00


8-port shielded 6 ft. cable for MVC; connects MVC to DB-25 or RJ-45 I/O panels. Two required for 16 line controller.

**P/N 320138-00**

8-port unshielded 3 ft. cable for MVC; connects MVC to DB-25 or RJ-45 I/O panels. Two required for 16 line controller.

**P/N 320156-00**


Internal daisy-chain cable for MVS/200; P2 DIN connector to six 50-pin SCSI connectors.

**P/N 320271-00**

8-port unshielded 3 ft. cable for MVCP & MVCQuick; connects MVCP or MVCQuick to DB-25 or RJ-45 I/O panels. Two required for 16 line controller.


**P/N 320275-00**

8-port shielded 6 ft cable for MVCP & MVCQuick; connects MVCP Or MVCQuick to DB-25 or RJ-45 I/O panels. Two required for 16-line controller.

**P/N 330042-00**

Internal, 18" parallel cable/6U bezel assembly for MVC; P2 DIN connector to 6U bezel

mounted 50-pin "D"-
ribbon connector.



P/N 330050-50

16 line RJ-45 shielded
I/O transition panel for
MVC; 6U x triple width.
Top: Rear View
Bottom: Front View




P/N 330056-50

16 line RJ-45 shielded
I/O transition panel for
MVCP & MVCQuick; 6U
x triple width.
Top: Rear View
Bottom: Front View



P/N 330058-50

8 line DB-25 shielded I/O
transition panel for
MVCP & MVCQuick; 6U
x double width. Two
required for 16-line
controller.
Top: Rear View
Bottom: Front View




P/N 330061-50

8 line DB-25 shielded I/O transition panel for MVC; 6U x double width. Two required for 16-line controller.

Top: Rear View


Bottom: Front View

**P/N 330092-00**

Internal 18", 6U SCSI cable/panel assembly for MVS/200; P2 DIN to shielded 6U bezel mounted, 50-pin "D"-ribbon connector.

**P/N T4000-01**

1m shielded SCSI cable for MVS/216; shielded 68-pin high-density to 68-pin high-density connectors; 2m & 3m lengths also available - see price list.



[Macrolink, Inc.](http://www.macrolink.com) 1500 North Kellogg Drive Anaheim, California 92807-1902
Phone 714.777.8800 Fax 714.777.8807

Macrolink and the Macrolink logo are registered trademarks of Macrolink, Inc. Prices and specifications are subject to change without notice. Copyright 2004, Macrolink, Inc. All rights reserved.